

COMMERCIAL SANDWICH PRODUCTS

Complete Line of Commercial Steel Sandwich Doors



Product Details

Steel Commercial Sandwich Doors

WARRANTY INFORMATION



Door: 10 yr



Hardware: 1 yr



Springs: 1 yr

- **R-7.4** (340S) or **10.4** (350S / 354S)
- Steel front and back
- 1½" (340S) or 2" (350S / 354S)
- 3 Window Designs
- 2 Standard + 3 Optional Colors
- CFC Free Polystyrene Insulation



Durability

Low Maintenance







340S, 350S and 354S panels are all available with woodgrain embossment in flush design.



340S, 350S and 354S panels are all available with woodgrain embossment in microgroove design.



340S and 350S panels are available with woodgrain embossment in short raised panel deisgn in certain configurations.

Window Design Options











For all models, windows are available standard in black and optional white or color-matched brown.











Product Options

Steel Commercial Sandwich Doors - A Complete Line of Offerings to Meet Your Needs

OPTIONS KEY:

■ = Standard

○ = Optional


- = Unavailable


Door Model	340S Standard Duty	350S Heavy Duty	354S Industrial Duty
Section Thickness	1½"	2"	2" (24 Gauge Exterior)
Max Door Size (consult for doors beyond 18' tall)	18'2" x 18'	24'2" x 18'	24'2" x 18'
Design Options			
Flush	•	•	•
Microgroove	•	•	•
Short Raised Panel (in certain configurations)	0	0	-
Texture	Woodgrain	Woodgrain	Woodgrain
Color Options *Silver Metallic NOT available in short raised panel designs	White Brown Sandstone Black *Silver Metallic	White Brown Sandstone Black *Silver Metallic	White Brown
Window and Frame Options			
24x6 or 24x12 Black Frames	•	•	•
24x6 or 24x12 - White, Brown, Sandstone, Silver Met. Frames	0	0	0
Clear Anodized Full-View Aluminum Section	0	0	0
Rope	•	•	•
Locks			
Slide Lock	•	•	•
T-Handle	0	0	0
Cylinder	0	0	0
Mini-Warehouse	0	0	0
Track Configuration			
Bracket Mount	•	•	•
Continuous or Reverse Angle (per weight & width rules)	0	0	0
Tapered Angle (2")	0	0	0
3" Track	0	0	0
Floor Seal			
Grey 3" Vinyl Floor Seal	•	•	•
Black 4" Vinyl Floor Seal (shipped seperately)	0	0	0
Hardware			
14 ga. Hardware	•	•	•
11 ga. Hardware (end and center hinges)	0	0	0


ADDITIONAL OPTIONS

- 13 ball bearing sealed rollers 2" & 3"
- Higher Cycle Spring options: (25K, 50K & 100k)
- Optional Weather Seals: Vinyl Door Stop, Reverse angle jamb seal, header seal and bottom astragal (standard & oversized)

Commercial Track Mounting Options







Typical Construction for Reverse Angle Door Width = Door Opening Width + 2 (i.e. 8'2", 10'2", 16'2", 20'2" etc.)



FIVE PRODUCTION PLANTS, ONE FAMILY



Puyallup, WA - Sectional Doors



Montgomery, IL - Sectional Doors



Barrie, ON (CAN) - High Performance Doors

Eastern & Central US: 877.654.6762

Western US: 800,522,2264

Canada: 833.743.2443



Contact

Fmail: info@hormann.us Website: hormann.us

As one of the world's leading manufacturers of doors we're committed to providing the best quality, value, and selection. Whether residential, commercial or industrial, we have the door you're looking for. Each Hörmann product gives you the perfect array of benefits and options to satisfy your customers.

Follow us on social media







Call toll free









